



# basic education

Department:  
Basic Education  
**REPUBLIC OF SOUTH AFRICA**

**NATIONAL  
SENIOR CERTIFICATE  
NASIONALE  
SENIOR SERTIFIKAAT**

**GRADE/GRAAD 12**

**PHYSICAL SCIENCES: PHYSICS (P1)  
FISIESE WETENSKAPPE: FISIKA (V1)**

**NOVEMBER 2013**

**MEMORANDUM**

**MARKS/PUNTE: 150**

**This memorandum consists of 16 pages.  
*Hierdie memorandum bestaan uit 16 bladsye.***

## SECTION A

### QUESTION 1/VRAAG 1

- 1.1 Acceleration / *Versnelling* ✓ (1)
- 1.2 Wavelength / *Golflengte* ✓ (1)
- 1.3 Electric field / *Elektriese veld* ✓ (1)
- 1.4 Gamma /  $\gamma$  (rays) / *Gamma /  $\gamma$  (strale)* ✓ (1)
- 1.5 Threshold (frequency) / *Drumpel(frekwensie)* ✓ (1)
- [5]**

### QUESTION 2/VRAAG 2

- 2.1 B ✓✓ (2)
- 2.2 B ✓✓ (2)
- 2.3 C ✓✓ (2)
- 2.4 D ✓✓ (2)
- 2.5 C ✓✓ (2)
- 2.6 C ✓✓ (2)
- 2.7 D ✓✓ (2)
- 2.8 B ✓✓ (2)
- 2.9 D ✓✓ (2)
- 2.10 B ✓✓ (2)
- [20]**

**TOTAL SECTION A/TOTAAL AFDELING A: 25**

**SECTION B/AFDELING B**

**QUESTION 3/VRAAG 3**

3.1 15 m·s<sup>-1</sup> ✓

(1)

3.2

**OPTION 1/OPSIE 1**

Inelastic ✓

The speed/velocity at which the ball leaves the floor is less / different than that at which it strikes the floor. OR The speed/velocity of the ball changes during the collision. ✓

Therefore the kinetic energy changes/is not conserved. ✓

*Onelasties*

*Die spoed/snelheid waarteen die bal die vloer verlaat is kleiner / verskillend as dit waarteen dit die vloer tref. OF Die spoed / snelheid van die bal verander gedurende die botsing.*

*Die kinetiese energie verander/bly nie behoue nie.*

**OPTION 2/OPSIE 2**

Collision is inelastic. ✓

*Botsing is onelasties*

$$\Delta K = \frac{1}{2}mv_f^2 - \frac{1}{2}mv_i^2$$

$$= \frac{1}{2}(0,15)(15)^2 - \frac{1}{2}(0,15)(20)^2 \checkmark$$

$$= -13,13 \text{ J}$$

$$K_i \neq K_f / \Delta K \neq 0 \checkmark$$

**OPTION 3/OPSIE 3**

Collision is inelastic. ✓

*Botsing is onelasties*. ✓

$$K_f = \frac{1}{2}mv_f^2$$

$$= \frac{1}{2}(0,15)(15)^2$$

$$= 16,88 \text{ J}$$

$$K_i = \frac{1}{2}mv_i^2$$

$$= \frac{1}{2}(0,15)(20)^2$$

$$= 30 \text{ J}$$

$$K_f \neq K_i / \Delta K \neq 0 \checkmark$$

3.3

**OPTION 1/OPSIE 1**

$$v_f^2 = v_i^2 + 2a\Delta y \checkmark$$

$$(20)^2 \checkmark = (10)^2 + 2(9,8)\Delta y \checkmark$$

$$\therefore \Delta y = 15,31 \text{ m} \checkmark$$

**OPTION 2/OPSIE 2**

$$W_{\text{net}} = \Delta K \checkmark$$

$$F_{\text{net}}\Delta y \cos \theta = \frac{1}{2}m(v_f^2 - v_i^2)$$

$$m(9,8)\Delta y \cos 0^\circ \checkmark = \frac{1}{2}m(20^2 - 10^2) \checkmark$$

$$\Delta y = 15,31 \text{ m} \checkmark$$

**OPTION 3/OPSIE 3**

$$\left. \begin{aligned} (E_p + E_k)_{\text{top}} &= (E_p + E_k)_{\text{bottom}} \\ (mgh + \frac{1}{2}mv^2)_{\text{top}} &= (mgh + \frac{1}{2}mv^2)_{\text{bottom}} \end{aligned} \right\} \checkmark \text{ any one/enige een}$$

$$m(9,8)h + \frac{1}{2}m(10)^2 \checkmark = m(9,8)(0) + \frac{1}{2}m(20)^2 \checkmark$$

$$h = 15,31 \text{ m} \checkmark$$

**OPTION 4/OPSIE 4**

$$v_f = v_i + a\Delta t$$

$$20 = 10 + (9,8)(\Delta t)$$

$$\therefore \Delta t = 1,02 \text{ s}$$

$$\Delta y = v_i\Delta t + \frac{1}{2}a\Delta t^2$$

$$= (10)(1,02) \checkmark + \frac{1}{2}(9,8)(1,02)^2 \checkmark$$

$$\therefore \Delta y = 15,3 \text{ m} \checkmark$$

(3)

<p><b><u>OPTION 5/OPSIE 5</u></b></p> $v_f = v_i + a\Delta t$ $20 = 10 + (9,8)(\Delta t) \quad \checkmark$ $\therefore \Delta t = 1,02 \text{ s}$ $\Delta y = \left( \frac{v_i + v_f}{2} \right) \Delta t$ $\Delta y = \left( \frac{10 + 20}{2} \right) \checkmark (1,02) \checkmark$ $\therefore \Delta y = 15,3 \text{ m} \checkmark$
<p><b><u>OPTION 6/OPSIE 6</u></b></p> $v_f = v_i + a\Delta t$ $20 = 10 + (9,8)(\Delta t) \quad \checkmark$ $\therefore \Delta t = 1,02 \text{ s}$ <p>Height = area between graph &amp; t axis  <i>Hoogte = opperv. tussen grafiek &amp; t-as</i></p> $= \frac{1}{2}(\text{sum } \parallel \text{ sides})h_{\perp}$ $= \frac{1}{2}(10 + 20) \checkmark 1,02 \checkmark$ $= 15,3 \text{ m} \checkmark$ $= 15,3 \text{ m} \checkmark$
<p><b><u>OPTION 7/OPSIE 7</u></b></p> $v_f = v_i + a\Delta t$ $20 = 10 + (9,8)(\Delta t) \quad \checkmark$ $\therefore \Delta t = 1,02 \text{ s}$ <p>Height = area between graph &amp; t axis  <i>Hoogte = opperv. tussen grafiek &amp; t-as</i></p> $= lb + \frac{1}{2}bh = \frac{1}{2}(10 + 20)1,02$ $= (1,02)(10) \checkmark + \frac{1}{2}(1,02)(10) \checkmark$ $= 15,3 \text{ m} \checkmark$
<p><b><u>OPTION 8/OPSIE 8</u></b></p> $F_{\text{net}} = ma$ $mg = m \left( \frac{v_f^2 - v_i^2}{2\Delta x} \right) \checkmark$ $(0,15)(9,8) \checkmark = (0,15) \left( \frac{20^2 - 10^2}{2\Delta x} \right) \checkmark$ $\Delta x = 15,31 \text{ m} \checkmark$

(4)

3.3.2

$$\left. \begin{aligned} F_{\text{net}}\Delta t &= \Delta p \\ F_{\text{net}}\Delta t &= mv_f - mv_i \\ \Delta p &= mv_f - mv_i \\ &= 0,15(-15 - 20) \checkmark \\ &= -5,25 \text{ N}\cdot\text{s} \text{ (or } -5,25 \text{ kg}\cdot\text{m}\cdot\text{s}^{-1}) \end{aligned} \right\} \checkmark \text{ Any one/Enige een}$$

Magnitude/Grootte = 5,25 N·s or 5,25 kg·m·s<sup>-1</sup> ✓

(3)

3.3.3

<p><b><u>OPTION 1 / OPSIE 1</u></b>                      Displacement from floor to max. height/ <i>Verplasing van vloer na maks. hoogte:</i>  <math>v_f^2 = v_i^2 + 2a\Delta y</math> ✓  <math>(0)^2 = (-15)^2 + 2(9,8)\Delta y</math> ✓  <math>\therefore \Delta y = -11,48 \text{ m}</math></p> <p>Total displacement / <i>Totale verplasing</i>  <math>= -11,48 + 15,3</math> ✓  <math>= 3,82 \text{ m}</math> ✓ / 3,83 m</p>
<p><b><u>OPTION 2 / OPSIE 2</u></b>  <math>v_f = v_i + a\Delta t</math>  <math>0 = -15 + (9,8)\Delta t</math>  <math>\Delta t = 1,53 \text{ s}</math> ✓</p> <p><math>\Delta y = v_i\Delta t + \frac{1}{2} a\Delta t^2</math>  <math>= (-15)(1,53) + \frac{1}{2} (9,8)(1,53)^2</math> ✓  <math>= -11,48 \text{ m}</math></p> <p>Total displacement / <i>Totale verplasing</i>  <math>= -11,48 + 15,3</math> ✓  <math>= 3,82 \text{ m}</math> ✓</p>
<p><b><u>OPTION 3 / OPSIE 3</u></b>  <math>v_f = v_i + a\Delta t</math>  <math>0 = -15 + (9,8)\Delta t</math>  <math>\Delta t = 1,53 \text{ s}</math> ✓</p> <p><math>\Delta y = \left(\frac{v_f + v_i}{2}\right)\Delta t</math>  <math>= \left(\frac{0 + (-15)}{2}\right)(1,53)</math> ✓  <math>= -11,48 \text{ m}</math></p> <p>Total displacement / <i>Totale verplasing</i>  <math>= -11,48 + 15,3</math> ✓  <math>= 3,82 \text{ m}</math> ✓</p>
<p><b><u>OPTION 4 / OPSIE 4</u></b>  <math>v_f = v_i + a\Delta t</math>  <math>0 = -15 + (9,8)\Delta t</math>  <math>\Delta t = 1,53 \text{ s}</math> ✓</p> <p>Area = <math>\frac{1}{2} bh</math>  <math>= \frac{1}{2} (1,53)(-15)</math> ✓  <math>= -11,48 \text{ m}</math></p> <p>Total displacement / <i>Totale verplasing</i>  <math>= -11,48 + 15,3</math> ✓  <math>= 3,82 \text{ m}</math> ✓</p>

**OPTION 5 / OPSIE 5**

$$E_{M(\text{initial})} = E_{M(\text{final})}$$

$$(E_p + E_k)_{\text{initial}} = (E_p + E_k)_{\text{final}} \quad \left. \vphantom{(E_p + E_k)_{\text{initial}} = (E_p + E_k)_{\text{final}}} \right\} \checkmark \text{ Any one / Enige een}$$

$$(mgh + \frac{1}{2} mv^2)_{\text{initial}} = (mgh + \frac{1}{2} mv^2)_{\text{final}}$$

$$(0,15)(9,8)(0) + \frac{1}{2} (0,15)(15)^2 = (0,15)(9,8)h + \frac{1}{2} (0,15)(0)^2 \checkmark$$

$$h = 11,48 \text{ m}$$

Total displacement / *Totale verplasing*  
= 15,31 - 11,48  $\checkmark$  = 3,83 m  $\checkmark$

**OPTION 6/OPSIE 6**

$$W_{\text{net}} = \Delta K \checkmark$$

$$F_{\text{net}} \Delta y \cos \theta = \frac{1}{2} m(v_f^2 - v_i^2)$$

$$m(9,8) \Delta y \cos 180^\circ = \frac{1}{2} m(0^2 - 15^2) \checkmark$$

$$\Delta y = 11,48 \text{ m}$$

Total displacement / *Totale verplasing*  
= 15,31 - 11,48  $\checkmark$   
= 3,83 m  $\checkmark$

**OPTION 7/OPSIE 7**

$$F_{\text{net}} = ma$$

$$mg = m \left( \frac{v_f^2 - v_i^2}{2\Delta x} \right) \checkmark$$


$$(0,15)(9,8) = (0,15) \left( \frac{0^2 - (-15)^2}{2\Delta x} \right) \checkmark$$

$$\Delta x = -11,48 \text{ m}$$

Total displacement / *Totale verplasing*  
= 15,31 - 11,48  $\checkmark$   
= 3,83 m  $\checkmark$

(4)

3.4



**Marking criteria for graph:/Nasienriglyne vir grafiek:**

Correct shape as shown for first part./Korrekte vorm soos aangetoon vir eerste deel.	$\checkmark$
Correct shape as shown for the second part up to t / 2,55 s. Korrekte vorm soos aangetoon vir tweede deel t / 2,55 s.	$\checkmark$
Graph starts at -15,3 m at t = 0 s./Grafiek begin by -15,3 m by t = 0 s.	$\checkmark$
Maximum height after bounce at time t / 2,55 s./Maksimum hoogte na bons by tyd t / 2,55 s.	$\checkmark$
Maximum height after bounce less than 15,3 m./Maksimum hoogte na bons kleiner as 15,3 m.	$\checkmark$

(4)

[19]

**QUESTION 4/VRAAG 4**

4.1 West / Wes ✓ (1)

4.2 (Newton's) Third Law (of Motion) ✓  
 When object A exerts a force on object B, object B exerts a force equal in magnitude on object A, but opposite in direction. ✓

(Newton) se Derde (Bewegings)wet  
 Wanneer voorwerp A 'n krag op voorwerp B uitoefen, oefen voorwerp B 'n krag van gelyke grootte op voorwerp A, maar in die teenoorgestelde rigting. (3)

4.3	<p><b>OPTION 1/ OPSIE 1</b>  <b>East as positive/Oos as positief:</b>  <math>\Sigma p_i = \Sigma p_f</math> ✓  <math>0 \checkmark = (60)v_f + (5)(4) \checkmark</math>  <math>\therefore v_f = -0,33 \checkmark</math>  <math>\therefore v_f = 0,33 \text{ m}\cdot\text{s}^{-1} \checkmark</math></p>	<p><b>OPTION 2/ OPSIE 2</b>  <b>East as positive/Oos as positief:</b>  <math>\Delta p_A = -\Delta p_B</math> ✓  <math>(60)v_f \checkmark - 0 = -[(5)(4) - 0] \checkmark</math>  <math>\therefore v_f = -0,33 \checkmark</math>  <math>\therefore v_f = 0,33 \text{ m}\cdot\text{s}^{-1} \checkmark</math></p>
	<p><b>West as positive/Wes as positief:</b>  <math>\Sigma p_i = \Sigma p_f</math> ✓  <math>0 \checkmark = (60)v_f + (5)(-4) \checkmark</math>  <math>\therefore v_f = 0,33 \text{ m}\cdot\text{s}^{-1} \checkmark \checkmark</math></p>	<p><b>West as positive/Wes as positief:</b>  <math>\Delta p_A = -\Delta p_B</math> ✓  <math>(60)v_f \checkmark - 0 = -[(5)(-4) - 0] \checkmark</math>  <math>\therefore v_f = 0,33 \text{ m}\cdot\text{s}^{-1} \checkmark \checkmark</math></p>
	<p><b>OPTION 3/ OPSIE 3</b>  <b>East as positive/Oos as positief</b>  <math>F_{BP} = -F_{PB} \checkmark</math>  <math>m_B a_B = -m_P a_P</math>  <math>m_B \left( \frac{v_{Bf} - v_{Bi}}{\Delta t} \right) = -m_P \left( \frac{v_{Pf} - v_{Pi}}{\Delta t} \right)</math>  <math>(60) \left( \frac{v_{Bf} - 0}{\Delta t} \right) \checkmark = - (5) \left( \frac{4 - 0}{\Delta t} \right) \checkmark</math>  <math>v_{Bi} = -0,33 \text{ m}\cdot\text{s}^{-1} \checkmark</math>  <math>= 0,33 \text{ m}\cdot\text{s}^{-1} \checkmark</math></p>	<p><b>OPTION 4/ OPSIE 4</b>  <b>West as positive/Wes as positief</b>  <math>F_{BP} = -F_{PB} \checkmark</math>  <math>m_B a_B = -m_P a_P</math>  <math>m_B \left( \frac{v_{Bf} - v_{Bi}}{\Delta t} \right) = -m_P \left( \frac{v_{Pf} - v_{Pi}}{\Delta t} \right)</math>  <math>(60) \left( \frac{v_{Bf} - 0}{\Delta t} \right) \checkmark = - (5) \left( \frac{-4 - 0}{\Delta t} \right) \checkmark</math>  <math>v_{Bi} = 0,33 \text{ m}\cdot\text{s}^{-1} \checkmark \checkmark</math></p>

4.4  
 4.4.1 Increases / Verhoog ✓ (1)

4.4.2 Increases / Verhoog ✓



- $\Delta p$  package increases, thus  $\Delta p$  boy increases. ✓  
 $\Delta p$  pakkie vermeerder, dus  $\Delta p$  seun vermeerder.
- For the same mass of boy,  $v$  will be greater. ✓  
Vir dieselfde massa van die seun sal  $v$  groter wees.

**OR/OF**

Increases / Verhoog ✓



From the equation in QUESTION 4.3:  $-m_A v_{Af} = m_B v_{Bf}$

Vanaf die vergelyking in VRAAG 4.3:  $-m_A v_{Af} = m_B v_{Bf}$

- If mass of package/B doubles/increases, the momentum of the boy / A doubles / increases. ✓  
Indien die massa van pakkie / B verdubbel / toeneem, verdubbel / vermeerder die momentum van die seun / A
- For same mass of boy / A, the velocity of boy / A doubles/increases. ✓  
Vir dieselfde massa van die seun / A, verdubbel/vermeerder die snelheid van die seun /A.

**OR/OF**

Increases / Verhoog ✓



$-m_B v_{Bf} = m_p v_{pf}$

$v_B = \frac{-m_p v_{pf}}{m_B}$  ✓ for same  $m_B$ , if  $m_p$  doubles, ✓ then  $v_B$  doubles

(3)  
[13]

### QUESTION 5/VRAAG 5

5.1 The total mechanical energy remains constant / is conserved ✓  
in a closed / isolated system / in absence of external forces /non-conservative forces. ✓

Die totale meganiese energie in bly konstant / bly behoue  
in 'n geslote / geïsoleerde sisteem /in afwesigheid van eksterne kragte /nie-konserwatiewe kragte.

**OR/OF**

The sum of the potential and kinetic energy of a system remains constant ✓  
in a closed/isolated system. ✓

Die som van die potensiële en kinetiese energie van 'n sisteem bly konstant  
in 'n geslote / geïsoleerde sisteem.

**OR/OF**

When the work done on an object by the non-conservative forces is zero ✓,  
the total mechanical energy is conserved. ✓

Wanneer die arbeid deur die nie-konserwatiewe kragte op 'n voorwerp verrig nul is, bly die totale meganiese energie behoue.

(2)



5.2

<p><b><u>OPTION 1/OPSIE 1</u></b></p> $E_{\text{mechanical at X}} = E_{\text{mechanical at Y}}$ $(E_p + E_k)_X = (E_p + E_k)_Y$ $(mgh + \frac{1}{2}mv^2)_X = (mgh + \frac{1}{2}mv^2)_Y$ $\underline{5(9,8)(5) + \frac{1}{2}(5)(0^2)} \checkmark = \underline{5(9,8)(1) + \frac{1}{2}(5)v_f^2} \checkmark$ $v = 8,85 \text{ m}\cdot\text{s}^{-1} \checkmark$
<p><b><u>OPTION 2/OPSIE 2</u></b></p> $E_{\text{mechanical at X}} = E_{\text{mechanical at Y}}$ $(E_p + E_k)_X = (E_p + E_k)_Y$ $(mgh + \frac{1}{2}mv^2)_X = (mgh + \frac{1}{2}mv^2)_Y$ $\underline{5(9,8)(4) + \frac{1}{2}(5)(0^2)} \checkmark = \underline{5(9,8)(0) + \frac{1}{2}(5)v_f^2} \checkmark$ $v = 8,85 \text{ m}\cdot\text{s}^{-1} \checkmark$

(4)

5.3

Weight / gravitational (force) / (force of) gravity  $\checkmark$   
Gewig / Gravitاسie(krag)  
Normal force / Normaalkrag  $\checkmark$

(2)

5.4

Z to/na Y  $\checkmark$

(1)

5.5

<p><b><u>OPTION 1/OPSIE 1</u></b></p> $W_{\text{net}} = \Delta K \checkmark$ $W_w + W_f = \frac{1}{2}m(v_f^2 - v_i^2)$ $mg\Delta y \cos 0^\circ + f\Delta x \cos 180^\circ = \frac{1}{2}m(v_f^2 - v_i^2)$ $(5)(9,8)(1)(1) \checkmark + (10)\Delta x(-1) \checkmark = \frac{1}{2}(5)(4^2 - 8,85^2) \checkmark$ $\Delta x = 20,48 \text{ m} \checkmark$
<p><b><u>OPTION 2/OPSIE 2</u></b></p> $W_{\text{net}} = \Delta K \checkmark$ $W_w + W_f = \frac{1}{2}m(v_f^2 - v_i^2)$ $-\Delta E_p + W_f = \frac{1}{2}m(v_f^2 - v_i^2)$ $-(0 - mgh) + f\Delta x \cos 180^\circ = \frac{1}{2}m(v_f^2 - v_i^2)$ $(5)(9,8)(1) \checkmark + (10)\Delta x(-1) \checkmark = \frac{1}{2}(5)(4^2 - 8,85^2) \checkmark$ $\Delta x = 20,48 \text{ m} \checkmark$
<p><b><u>OPTION 3/OPSIE 3</u></b></p> $W_{\text{net}} = \Delta K \checkmark$ $W_w + W_f = \frac{1}{2}m(v_f^2 - v_i^2)$ $-\Delta E_p + W_f = \frac{1}{2}m(v_f^2 - v_i^2)$ $-(0 - mgh) + f\Delta x \cos 180^\circ = \frac{1}{2}m(v_f^2 - v_i^2)$ $(5)(9,8)(5) \checkmark + (10)\Delta x(-1) \checkmark = \frac{1}{2}(5)(4^2 - 0^2) \checkmark$ $\Delta x = 20,48 \text{ m} \checkmark$
<p><b><u>OPTION 4/OPSIE 4</u></b></p> $W_{\text{net}} = \Delta K \checkmark$ $W_w + W_f = \frac{1}{2}m(v_f^2 - v_i^2)$ $mg\Delta x \cos(90^\circ - \theta) + f\Delta x \cos 180^\circ = \frac{1}{2}m(v_f^2 - v_i^2)$ $mg\Delta x \sin \theta + f\Delta x \cos 180^\circ = \frac{1}{2}m(v_f^2 - v_i^2)$ $mg\Delta x \left(\frac{1}{\Delta x}\right) + f\Delta x \cos 180^\circ = \frac{1}{2}m(v_f^2 - v_i^2)$ $(5)(9,8) \checkmark + (10)\Delta x(-1) \checkmark = \frac{1}{2}(5)(4^2 - 8,85^2) \checkmark$ $\Delta x = 20,48 \text{ m} \checkmark$

**OPTION 5/OPSIE 5**

$$W_{\text{net}} = \Delta K \checkmark$$

$$W_{\text{wll}} + W_f = \frac{1}{2}m(v_f^2 - v_i^2)$$

$$mg\sin\theta\Delta x\cos\theta + f\Delta x\cos\theta = \frac{1}{2}m(v_f^2 - v_i^2)$$

$$mg\left(\frac{1}{\Delta x}\right)\Delta x\cos 0^\circ + f\Delta x\cos 180^\circ = \frac{1}{2}m(v_f^2 - v_i^2)$$

$$(5)(9,8) \checkmark + (10)\Delta x(-1) \checkmark = \frac{1}{2}(5)(4^2 - 8,85^2) \checkmark$$

$$\Delta x = 20,48 \text{ m} \checkmark$$

**OPTION 6/OPSIE 6**

$$W_{\text{net}} = \Delta K \checkmark$$

$$F_{\text{net}}\Delta x\cos\theta = \frac{1}{2}m(v_f^2 - v_i^2)$$

$$(10 - 49\sin\theta)\Delta x\cos 180^\circ = \frac{1}{2}m(v_f^2 - v_i^2)$$

$$(10 - 49\left(\frac{1}{\Delta x}\right))\Delta x\cos 180^\circ = \frac{1}{2}m(v_f^2 - v_i^2)$$

$$(10\Delta x - 49)(-1)\checkmark = \frac{1}{2}(5)(4^2 - 8,85^2) \checkmark$$

$$\Delta x = 20,48 \text{ m}$$

**OPTION 7/OPSIE 7**

$$W_{\text{nc}} = \Delta E_p + \Delta E_k \checkmark$$

$$f\Delta x\cos\theta = (mgh_f - mgh_i) + \left(\frac{1}{2}mv_f^2 - \frac{1}{2}mv_i^2\right)$$

$$(10)\Delta x\cos 180^\circ \checkmark = [0 - (5)(9,8)(1)] \checkmark + \left[\frac{1}{2}(5)(4)^4 - \frac{1}{2}(5)(8,85)^2\right] \checkmark$$

$$\Delta x = 20,48 \text{ m} \checkmark$$

(5)

5.6 Equal to / Gelyk aan  $\checkmark$

(1)

[15]

**QUESTION 6/VRAAG 6**

6.1 Doppler flow meter / Dopplervloeimeter  $\checkmark$

(1)

6.2 
$$f_L = \frac{v \pm v_L}{v \pm v_s} f_s \checkmark$$


$$985 \checkmark = \frac{v}{(v - 10,6)} \checkmark (954,3) \checkmark$$

$$v = 340,1 \text{ m}\cdot\text{s}^{-1} \checkmark$$

(5)

6.3 Decreases / Afneem  $\checkmark$

(1)

6.4  For a constant velocity of sound / speed  $\checkmark$   
if the frequency increases,  $\lambda$  decreases.  $\checkmark$   
Vir 'n konstante snelheid van klank /spoed,  
as die frekwensie toeneem neem  $\lambda$  af.

**OR/OF**

$$\lambda \propto \frac{1}{f} \text{ or } f \propto \frac{1}{\lambda} \checkmark \text{ at constant velocity/speed / by konstante snelheid/spoed..} \checkmark$$

(2)

[9]

**QUESTION 7/VRAAG 7**

7.1 The bending of waves around obstacles / corners / through an opening / aperture ✓✓  
*Die buiging van golwe om versperrings / hoeke / deur 'n opening.*

**OR/OF**

The spreading of waves around the edge of a barrier/through an opening/aperture.

*Die uitspreiding van golwe om die kant van 'n versperring/deur 'n opening.* (2)

7.2 P ✓ (1)

7.3

7.3.1 Broadness of the central bright band / diffraction pattern / angle of diffraction / degree of diffraction /  $\sin \theta$  / position of the first minimum ✓  
*Breedte van die sentrale helderband / diffraksiepatroon/hoek van diffraksie / mate van diffraksie /  $\sin \theta$  / posisie van die eerste minimum* (1)

7.3.2

<b>Criteria for investigative question/Kriteria vir ondersoekende vraag:</b>	
Dependent and independent variables correctly identified. <i>Afhanklike en onafhanklike veranderlikes korrek geïdentifiseer.</i>	✓
Question about the relationship between the independent and dependent variables correctly formulated. <i>Vraag oor die verwantskap tussen die afhanklike en onafhanklike veranderlikes korrek geformuleer.</i>	✓

**Example/Voorbeeld:**

What is the relationship between the broadness of the central band and the wavelength (of light used)?

*Wat is die verwantskap tussen die breedte van die sentrale band en die golflengte (van die lig)?* (2)

7.4

<b><u>OPTION 1/OPSIE 1</u></b>	<b><u>OPTION 2/OPSIE 2</u></b>
$\sin \theta = \frac{m\lambda}{a} \checkmark$ $\sin \theta = \frac{(2)(410 \times 10^{-9})}{5 \times 10^{-6}} \checkmark$ $\therefore \theta = 9,44^\circ \checkmark$ or $9,21^\circ$	$\sin \theta = \frac{m\lambda}{a} \checkmark$ $\sin \theta = \frac{(-2)(410 \times 10^{-9})}{5 \times 10^{-6}} \checkmark$ $\therefore \theta = -9,44^\circ \checkmark$ or $-9,21^\circ$

(5)

7.5 Light (bright) and dark bands. ✓

Light /dark bands of equal width. ✓

*Lig (helder) en donker bande eweredig gespaseer.*


*Helder / donker bande van gelyke breedte /wydte.*

(2)

**[13]**

**QUESTION 8/VRAAG 8**

8.1



<b>Criteria for sketch:/Kriteria vir skets:</b>	
Correct shape - field lines radially around charge. <i>Korrekte vorm – veldlyne radiaal uitwaarts.</i>	✓
Direction of field lines away from charge. <i>Rigting van veldlyne weg van lading af.</i>	✓

(2)

8.2 Non-uniform / *Nie-uniform* ✓

(1)

8.3

$$E = \frac{kQ}{r^2} \checkmark$$

$$= \frac{(9 \times 10^9)(16 \times 10^{-6})}{(0,12)^2} \checkmark$$

$$= 1 \times 10^7 \text{ N} \cdot \text{C}^{-1} \checkmark \text{ east/oos} \checkmark$$

(5)

8.4 Positive / *Positief* ✓

(1)

8.5

<b>West: positive</b>	<b>West: negative</b>
$E_A + E_B = E_{\text{net}}$ $-1 \times 10^7 + E_B \checkmark = 1 \times 10^7 \checkmark$ $\therefore E_B = 2 \times 10^7 \text{ N} \cdot \text{C}^{-1}$ $E_B = \frac{kQ_B}{r^2}$ $\therefore 2 \times 10^7 \checkmark = \frac{(9 \times 10^9)Q_B}{(0,23)^2} \checkmark$ $\therefore Q_B = 1,18 \times 10^{-4} \text{ C} \checkmark$	$E_A + E_B = E_{\text{net}}$ $1 \times 10^7 + E_B \checkmark = -1 \times 10^7 \checkmark$ $\therefore E_B = -2 \times 10^7 \text{ N} \cdot \text{C}^{-1}$ $= 2 \times 10^7 \text{ N} \cdot \text{C}^{-1}$ $E_B = \frac{kQ_B}{r^2}$ $\therefore 2 \times 10^7 \checkmark = \frac{(9 \times 10^9)Q_B}{(0,23)^2} \checkmark$ $\therefore Q_B = 1,18 \times 10^{-4} \text{ C} \checkmark$
(5)	(5)

(5)

[14]

**QUESTION 9/VRAAG 9**

9.1

12 J of energy are transferred to / work done on ✓  
each coulomb (of charge) / per C charge ✓ passing through the battery.

12 J energie word oorgedra aan / arbeid word verrig op  
elke coulomb (lading) / per C lading wat deur die battery beweeg.

(2)

9.2

<p><b>OPTION 1/OPSIE 1</b>  <math>P = I^2 R \checkmark</math>  <math>5 = I^2(5) \checkmark</math>  <math>\therefore I = 1 \text{ A} \checkmark</math></p>	
<p><b>OPTION 2/OPSIE 2</b>  <math>P = \frac{V^2}{R}</math>  <math>5 = \frac{V^2}{5} \checkmark</math>  <math>V = 5 \text{ V}</math>  <math>P = VI</math>  <math>5 = (5)I \checkmark</math>  <math>I = 1 \text{ A} \checkmark</math></p>	<p><b>OPTION 3/OPSIE 3</b>  <math>P = \frac{V^2}{R}</math>  <math>5 = \frac{V^2}{5} \checkmark</math>  <math>V = 5 \text{ V}</math>  <math>V = IR</math>  <math>5 = I(5) \checkmark</math>  <math>I = 1 \text{ A} \checkmark</math></p>

(3)

9.3

<p><b>OPTION 1 / OPSIE 1</b>  <math>\text{Emf} = I(R + r) \checkmark</math>  <math>12 \checkmark = (1)(R + 1)</math>  <math>R = 11 \Omega</math>  <math>R_p = 11 - 5 \checkmark = 6 \Omega</math></p>	<p><b>OPTION 2 / OPSIE 2</b>  <math>\text{Emf} = I(R + r) \checkmark</math>  <math>12 \checkmark = (1)(R_p + 5 + 1) \checkmark</math>  <math>\therefore R_p = 6 \Omega</math></p>	<p><b>OPTION 3/OPSIE 3</b>  <math>V = I R_T \checkmark</math>  <math>12 \checkmark = (1)R</math>  <math>R_T = 12 \Omega</math>  <math>\downarrow</math>  <math>R_p = R_T - (5 + 1)</math>  <math>= 12 - 6 \checkmark</math>  <math>= 6 \Omega</math></p>
<p><math>\frac{1}{R_p} = \frac{1}{R_{12}} + \frac{1}{R} \therefore \frac{1}{6} = \frac{1}{12} + \frac{1}{4 + R_x} \checkmark \therefore \frac{1}{12} = \frac{1}{4 + R_x} \therefore 12 = 4 + R_x \therefore R_x = 8 \Omega \checkmark</math></p>		
<p><b>OR/OF</b>  <math>R_p = \frac{(4 + R_x)(12)}{4 + R_x + 12} \therefore R_p = \frac{(4 + R_x)(12)}{4 + R_x + 12} \therefore 6 = \frac{(4 + R_x)(12)}{4 + R_x + 12} \therefore R_x = 8 \Omega \checkmark</math></p>		
<p><b>OPTION 4/OPSIE 4</b>  <math>V_{5\Omega} = IR \checkmark</math>  <math>= (1)(5)</math>  <math>= 5 \text{ V}</math>  <math>V_{\text{internal}} = Ir</math>  <math>= (1)(1)</math>  <math>= 1 \text{ V}</math>  <math>V_{\text{parallel}} = 12 \checkmark - (1 + 5) \checkmark</math>  <math>= 6 \text{ V}</math></p>	<p><math>V_{\text{parallel}} = IR</math>  <math>6 = I(12) \checkmark</math>  <math>\therefore I = 0,5 \text{ A}</math>  <math>I_{R_x} = 1 - 0,5</math>  <math>= 0,5 \text{ A}</math></p>	<p><math>V = IR</math>  <math>6 \checkmark = (0,5)(4 + R_x) \checkmark</math>  <math>\therefore R_x = 8 \Omega \checkmark</math></p>

(7)

9.4 No / Nee ✓



Total resistance (R) increases. / Totale weerstand (R) neem toe. ✓  
Current (I) decreases / Stroom (I) neem af. ✓  
(For a constant R) power ( $P = I^2R$ ) decreases. ✓  
(Vir konstante R) drywing ( $P = I^2R$ ) verminder.

(4)  
[16]

### QUESTION 10/VRAAG 10

10.1

10.1.1 slip rings / *sleepringe* ✓

(1)

10.1.2 brush(es) / *borsel(s)* ✓

(1)

10.2 Maintains electrical contact with the slip rings.  
*Handhaaf elektriese kontak met die sleepringe.*

#### OR/OF

To take current out/in of the coil.

*Om die stroom uit/in die spoel te neem.*

(1)

10.3 Mechanical /kinetic energy to electrical energy. ✓

Meganiese / kinetiese energie na elektriese energie.

(1)

10.4  $1\frac{1}{2}$  ✓

(1)

10.5

#### OPTION 1/ OPSIE 1

$$f = \frac{1}{T} \checkmark$$

$$= \frac{1}{0,02} \checkmark$$

$$= 50 \text{ Hz} \checkmark$$

(3)

#### OPTION 2/ OPSIE 2

$$f = \frac{\text{number of cycles}}{\text{time}} \checkmark$$

$$= \frac{1,5}{0,03} \text{ or/of } \frac{1}{0,02} \text{ or/of } \frac{0,5}{0,01} \checkmark$$

$$= 50 \text{ Hz} \checkmark$$

(3)

(3)

10.6 Parallel to / *Parallel aan* ✓

(1)

10.7

<p><b><u>OPTION 1/ OPSIE 1</u></b>  <math>P_{\text{ave}} = V_{\text{rms}} I_{\text{rms}} \checkmark</math>  <math>= \left( \frac{V_{\text{max}}}{\sqrt{2}} \right) \left( \frac{I_{\text{max}}}{\sqrt{2}} \right) \checkmark</math> (1 mark for both formulae / 1 punt vir beide formules)  <math>= \left( \frac{311}{\sqrt{2}} \right) \left( \frac{21,21}{\sqrt{2}} \right) \checkmark</math>  <math>= 3\,298,16 \text{ W} \checkmark</math> (Accept range / Aanvaar gebied: 3298,13 – 3299,18 W)</p>	
<p><b><u>OPTION 2/ OPSIE 2</u></b>  <math>P_{\text{ave}} = \frac{V_{\text{max}} I_{\text{max}}}{2} \checkmark \checkmark</math>  <math>= \frac{(311)(21,21)}{2} \checkmark \checkmark</math>  <math>= 3298,16 \text{ W} \checkmark</math></p>	<p><b><u>OPTION 3 / OPSIE 3</u></b>  <math>V_{\text{rms}} = \frac{V_{\text{max}}}{\sqrt{2}} = \frac{311}{\sqrt{2}} \checkmark = 219,91 \text{ V}</math>  <math>I_{\text{rms}} = \frac{I_{\text{max}}}{\sqrt{2}} = \frac{21,21}{\sqrt{2}} \checkmark = 14,998 \text{ A}</math>  <math>P_{\text{ave}} = V_{\text{rms}} I_{\text{rms}} \checkmark</math>  <math>= (219,91)(14,998)</math>  <math>= 3\,298,21 \text{ W} \checkmark</math></p>
<p><b><u>OPTION 4/ OPSIE 4</u></b>  <math>R = \frac{V_{\text{max}}}{I_{\text{max}}}</math>  <math>= \frac{311}{21,21} \checkmark</math>  <math>= 14,66 \Omega</math>  <math>V_{\text{rms}} = \frac{V_{\text{max}}}{\sqrt{2}} = \frac{311}{\sqrt{2}} \checkmark = 219,91</math>  <math>V</math>  <math>P_{\text{ave}} = \frac{V_{\text{rms}}^2}{R} \checkmark</math>  <math>= \frac{(219,91)^2}{14,66} \checkmark</math>  <math>= 3\,298,8 \text{ W} \checkmark</math></p>	<p><b><u>OPTION 6/OPSIE 6</u></b>  <math>R = \frac{V_{\text{max}}}{I_{\text{max}}}</math>  <math>= \frac{311}{21,21} \checkmark</math>  <math>= 14,66 \Omega</math>  <math>I_{\text{rms}} = \frac{I_{\text{max}}}{\sqrt{2}} = \frac{21,21}{\sqrt{2}} \checkmark = 14,998 \text{ A}</math>  <math>P_{\text{ave}} = I_{\text{rms}}^2 R \checkmark</math>  <math>= (14,998)^2 (14,66) \checkmark</math>  <math>= 3\,297,62 \text{ W} \checkmark</math></p>

(5)  
[14]

**QUESTION 11/VRAAG 11**

11.1

11.1.1 Photo-electric effect / Foto-elektriese effek  $\checkmark$

(1)

11.1.2

**OPTION 1/OPSIE 1**

$$E = W_0 + E_k$$

$$hf = hf_0 + E_k$$

$$\frac{hc}{\lambda} = W_0 + \frac{1}{2}mv^2$$

} ✓ Any one/Enige een

$$\frac{(6,63 \times 10^{-34})(3 \times 10^8)}{200 \times 10^{-9}} \checkmark = 8 \times 10^{-19} \checkmark + \frac{1}{2}(9,11 \times 10^{-31})v^2 \checkmark$$

$$v = 6,53 \times 10^5 \text{ m}\cdot\text{s}^{-1} \checkmark \quad (653454,89 \text{ m}\cdot\text{s}^{-1})$$

**OPTION 2 / OPSIE 2**

$$c = f\lambda$$

$$3 \times 10^8 = f(200 \times 10^{-9})$$

$$f = 1,5 \times 10^{15} \text{ Hz}$$

$$hf = hf_0 + E_k \checkmark$$

$$(6,63 \times 10^{-34})(1,5 \times 10^{15}) \checkmark = 8 \times 10^{-19} \checkmark + \frac{1}{2}(9,11 \times 10^{-31})v^2 \checkmark$$

$$v = 6,53 \times 10^5 \text{ m}\cdot\text{s}^{-1} \checkmark$$

(5)

11.1.3 Increases / Vermeerder ✓

(1)

11.1.4 Remains the same / Bly dieselfde ✓

- ⊖ Intensity only affects number of photoelectrons emitted per second. ✓  
 Intensiteit beïnvloed slegs die getal foto-elektrone vrygestel per sekonde.

**OR/OF**

Remains the same / Bly dieselfde ✓

- ⊖ The kinetic energy of the emitted photoelectrons remains the same.  
 Die kinetiese energie van die vrygestelde foto-elektrone bly dieselfde.

**OR/OF**

Remains the same / Bly dieselfde ✓

- ⊖ Only the frequency/wavelength of the incident light affects the maximum kinetic energy.  
 Slegs the frekwensie/golflengte van die invallende lig beïnvloed die maksimum kinetiese energie.

(2)

11.2 B ✓

Orange light has a higher frequency than red light. ✓  
 Oranje lig het 'n hoër frekwensie as rooi lig.

**OR/OF**

Orange light has smaller wavelength than red light.  
 Oranje lig het 'n kleiner golflengte as rooi lig.

(2)

11.3 Line emission (spectra) / Lyn emissie(spektrum) ✓

(1)

[12]

**TOTAL SECTION B/TOTAAL AFDELING B: 125**  
**GRAND TOTAL/GROOTTOTAAL: 150**