

### NATIONAL SENIOR CERTIFICATE

**GRADE 12** 

## ENGINEERING GRAPHICS AND DESIGN P2 NOVEMBER 2008

**MARKS: 100** 

TIME: 3 hours

This question paper consists of 6 pages.

Copyright reserved

### **INSTRUCTIONS AND INFORMATION**


- 1. The question paper consists of FOUR questions.
- 2. Answer ALL the questions.
- 3. All drawings are in third-angle orthographic projection unless otherwise stated.
- 4. All drawings must be drawn to scale 1:1, unless otherwise stated.
- 5. The questions must be answered on the answer sheets provided.
- 6. All the answer sheets must be re-stapled in numerical sequence and handed in irrespective of whether the question was attempted or not.
- 7. Time management is essential in order to complete all the questions.
- 8. Print your examination number in the block provided on every answer sheet.
- 9. All answers must be drawn accurately and neatly.
- 10. Any details or dimensions not given must be assumed in good proportion.

FOR OFFICIAL USE ONLY						
MODERATED MARK						
1						
2						
3						
4						
TOTAL						
	2	0	0			

FINAL CONVERTED MARK	CHECKED BY
100	

С	OMPLETE THE FOLLOWING:
	EXAMINATION NUMBER
	EXAMINATION NUMBER
	EXAMINATION CENTRE
	EXAMINATION CENTRE

Please turn over





ASSESSMENT CRITERIA

GRAPH
GIVEN INFO: FOLLOWER, MIN HEIGHT
DIRECTION ARROW
SHAFT and CL,s
CONSTRUCTION
ROLLER POSITIONS + CURVE QUALITY
TOTAL 9 12 36

## QUESTION 2: LOCI (CAM)

DoE/November 2008

A toy manufacturing company wishes to design a toy car that when it is pushed along the ground, the body of the car rises and falls. This can be achieved by attaching a cam to the inside of the wheel with a roller-follower attached to the body of the car.

# The specifications for the movement are as follows:

- The car rises with uniform motion to a height of 23mm over the first 90°
  There is a dwell period for the next 60°
  It then rises a further 37mm over the next 75°
  There is another dwell period for the next 60°
- The car returns to its original position over the final 75°


## Given:

The cam shaft and the follower detail in its lowest position. The cam rotates in an anti-clockwise direction as shown by the arrow.

- Instruction:Copy the camshaft and follower detail. Show the arrow
- indicating the direction of rotation.
  Draw a displacement graph with a horizontal scale of 30° equal to 8mm and a vertical scale of 1:1 for the given motion.
  Label the graph and include a scale.
- Label the graph and include a scale.

   Project and draw the cam profile that would generate the given





CAMSHAFT AND FOLLOWER DETAIL

**EXAMINATION NUMBER** 

**EXAMINATION NUMBER** 

Please turn over



## QUESTION 3: ISOMETRIC DRAWING

DoE/November 2008

**Given:**The front view and top view of a hexagonal slide plate that is cut by cutting plane B-B.

- Convert the orthographic views of the hexagonal slide plate into a sectional isometric drawing on B-B.
  Make corner A the lowest point of the drawing so that the sectioned surfaces are visible.
  Show ALL necessary construction.
  NO hidden detail is required.

[40]

## 35

> 14	35	≻	<b>∞</b> —►	Ø40	
		В -		$\overline{}$	
30		<u>+</u>			90 AF60
20			- \ _ <del> </del>		
8 24	60	-	14   80	-	

EXAMINATION NUMBER
BER

Please turn over

**EXAMINATION NUMBER** 

ASSESSMENT CRITERIA
AUXILIARY VIEW
ISOMETRIC SURFACES
NON-ISOMETRIC LINES
SECTIONED SURFACE
ISOMETRIC CIRCLES
CIRCLE CONSTRUCTION
HATCHING
CENTRE LINES
HEXAGON
PLACING ON A
TOTAL

**"**  Copyright reserved

EXAMINATION NUMBER

6

EXAMINATION NUMBER

8. MOUNTING PLATE

12

ယ

15

ယ

9. COLLAR

Ν

10. PIN

21/2

10 5 1%

CENTRE LINES

ASSEMBLY

TOTAL

6. WASHER 5. PULLEY 4. HANGER BRACKET

15

41/2

191/2

ω

4

7. M18 NUT

61/2

2 2

11/2

17

2. KEY 3. BUSH

> 11/2 1/2

21/2

9

ယ

1. SHAFT

81/2

POSSIBLE OBTAINED POSSIBLE OBTAINED POSSIBLE OBTAINED

SECTIONING

TOTAL

Engineering Graphics and Design/P2